

# **RING BOLT™**



Patent Pending



## ***A Keyless Bolting Device***


Conforms to specifications in the Texas House Bill No. 1368 for apartments.

# Security and Simplicity... In 3 Easy Steps.



## Easy To Install...

1. Mortise door jamb to accommodate retainer.
2. Secure retainer through the door jamb into the stud with 3 1/2" screws provided.
3. Secure the storing bracket to the side. The easy 3 step installation is complete.



- Slip **RING BOLT** into retainer and you are secure.
- Simply lift up on chain for quick and easy release of **RING BOLT**.

**RING BOLT** is a strong deterrent to forced entry of single doors in your home or apartment. It also eliminates danger of pass key entry. You control your own security with **RING BOLT**, and it releases quickly in case of emergency. An upward motion with the security chain gives quick release.

Remember: A dead bolt is only as strong as the door and frame that hold it, but the **RING BOLT** is anchored into the door frame stud in your wall and gives your door the strength of the wall itself.

- Easy to Use – Loop Over/Lift Off
- 3 Easy Steps to Install
- Emergency – Sensitive
- Hardware Provided
- Detailed Instructions of Operation and Installation
- Effective on Single Doors of Any Size

Order Ring Bolt by Calling:  
Metro 817-429-6666  
or Toll Free 1-800-446-6775


*Great for Homes or Apartments*




P.O. Box 8276 • Fort Worth, Texas 76124

# RING BOLT™

Conforms to specifications in the Texas House Bill No. 1368 for apartments.



LOCKED





UNLOCKED

## Security and Simplicity... In 3 Easy Steps

### RING BOLT

- Easy to Use – Loop Over - Lift Off
- 3 Easy Steps to Install
- Emergency – Sensitive
- Hardware Provided
- Detailed Instructions of Operation and Installation
- Effective on Single Doors of Any Size



### Easy To Install...

1. Mortise door jamb to accommodate retainer.
  2. Secure retainer through the door jamb into the stud with 3 1/2" screws provided.
  3. Secure the storing bracket to the side. The easy 3 step installation is complete.
- Slip **RING BOLT** into retainer and you are secure.
  - Simply lift up on chain for quick and easy release of **RING BOLT**.

